




VINAYAK[®]

Mfg. : Paver Blocks & Kerb Stone



PRODUCT SHOWCASE

ABOUT US :

Founded in 1997, VINAYAK TECHNOCAST INDUSTRIES PRIVATE LIMITED is an ISO 9001:2008 , ISI 15658:2021 certified company recognized as a leading manufacturer and supplier of a diverse range of cement-based products. These include paver blocks, kerb stones, RCC Hume pipes, and other cement materials.

Our products are meticulously crafted using high-quality materials, adhering to strict industry standards, and are celebrated for their aesthetically appealing designs and exceptional finish. We offer these products at competitive prices while ensuring timely delivery.

Each product undergoes comprehensive quality checks to ensure its durability and leak-proof performance. Our state-of-the-art manufacturing facility, combined with a skilled team of professionals, allows us to streamline our operations effectively.

With a robust distribution network, we guarantee prompt and safe deliveries to clients. Under the guidance of our Director, Mr. Hasmukh Patel, the company continues to grow and expand its presence nationwide, driven by his expertise and vision.

OUR MISSION/ VISION :

Mission : Our mission is to drive continuous growth by focusing on customers, adopting new technology, and producing high-quality products.

Vision : Our vision is to prioritize customer satisfaction and make Vinayak Technocast a highly respected company.

VINAYAK TECHNOCAST INDUSTRIES PRIVATE LIMITED

Manufacturer of Reflective Paver Blocks,
Hydraulic Paver Bolcks, Shot Blasted Paver Blocks,
Reflective Kerb Stone, Vaccum Wet Press Kerb Stone,
Tree Guard, Grass Pavers, RCC Hume Pipes
& All Other Cement Cast Products.

OUR GROUP'S COMPANIES :

VINAYAK TMT BARS PVT. LTD. , Dehgam, Gandhinagar.
Nalanda Precast Pvt ltd, Talod, Sabarkantha.



**CLASSIC
PAVERS**



**PAVER
SOLUTIONS**



**URBAN
DESIGN**



**TIMELESS
CREATIONS**



**CRAFTED
STONES**



BENEFITS OF VINAYAK TECHNOCAST PAVER BLOCKS :

- Wide range of styles, types, colours and sizes of paver blocks hence there are also many design possibilities.
- High durability of products.
- Flexible enough to provide longevity.
- Simple, easy and affordable repair & maintenance as individual blocks can be lifted and replaced if they are damaged, or stained with oil, diesel or petrol spillages.
- Block paving is considered to be more attractive than basic, plain tarmacadam surfaces for driveways.
- It is cost effective when compared to clay pavers or natural stone blocks such as granite setts.

OUR QUALITY POLICY :

- Quality is the driving force for continuous improvement at Vinayak Technocast.
- ISO 9001:2008 , ISI 15658:2021 certified, the requirements of the ISO standard are not followed merely for certification purposes. They provide the guiding light for development and continuous improvement of our quality management systems.
- To meet customer requirement and satisfaction by providing services on time, every time.
- To manufacture high quality of products, that are fit to use and also durable.
- All of the above ensure consistency in production and delivered quality, to match customer requirements and expectations.



JOURNEY :

1997

We began manufacturing cement cast materials in 1997 as Vinayak Tiles at Dahegam GIDC, producing Mojak tiles and Galicha.

2000

We introduced a parking tile manufacturing facility alongside Mojak tiles and Galicha.

2000

We received a major order from Reliance Industries for concrete slab guards for optical fiber cables, lasting until 2003.

2005

We expanded production at Zak GIDC, Dahegam, under Vinayak Technocast Industries, adding paver blocks and kerb stones to our product range.

2008

We expanded production at Talod under Nalanda Precast Pvt. Ltd., adding an RCC Hume pipe & reflective paver blocks manufacturing facility.

2015

Expanded and started largest manufacturing facility in 25,433 sqmt at Jaliyanamath, Sampa, Dahegam.

2018

We introduced the Parijatha automatic hydraulic press paver block machine at our Jaliyanamath, Sampa unit.

2021

We added a second, advanced automatic hydraulic press paver block machine from Columbia Machine Engineering Pvt. Ltd. at our Jaliyanamath, Sampa unit.

2024

Added vacuum wet press machine for kerb stone manufacturing for the first time at our talod unit.

2024

Recently installed another Automatic Hydraulic press machine for paver block and kerb stone of KBT Machiney at Jaliyanamath, sampa unit.

2025

Proud to announce: ISI Certified in 2025 for superior quality!


35
Years


RANGE OF TONES :



Shot Blasted Paver Blocks	Reflective Paver Blocks	Heavy Duty Paver Blocks
1. Yellow	8. Light Brown	17. Dark Brown
2. Red	9. Grey	18. White
3. Grey	10. Dholpur	19. Light Brown
4. Light Brown	11. LB Colour	20. Black
5. Dholpur	12. Green	21. Grey
6. Dark Brown	13. Red	22. Dholpur
7. Black	14. Dark Brown	23. Clay
	15. Yellow	24. G. Yellow
	16. Clay	25. Red
		26. Yellow

PRODUCT RANGE:





HYDRAULIC PAVER BLOCKS





D. Brown



White



L. Brown



Black



Grey




Dholpur




Clay



G. Yellow



Red



Yellow

HYDRAULIC PAVER BLOCKS

DECCA STONE

DECCA STONE pavers are the ultimate choice for homeowners and landscapers seeking both style and durability. Crafted with precision, these pavers offer a sleek, modern look while withstanding the wear and tear of daily use. Perfect for driveways, patios, or walkways, DECCA STONE pavers provide long-lasting beauty and exceptional performance.



Size :	200x225	175x100
(mm)	200x175	150x100
	200x100	150x75
	200x75	125x75

Thickness (mm): **60 \ 80**

Strength : **M 30 Above**

Surface : **Matt**



SURFACE VIEW



UNIT VIEW



D.Brown



White



L.Brown



Black



Grey




Dholpur




Clay



G.Yellow



Red



Yellow

HYDRAULIC PAVER BLOCKS

ROMAN BRICKS



Roman Brick Pavers are durable, classic paving materials known for their long, rectangular shape and timeless appeal. Made from clay, these pavers offer a rustic, elegant look suitable for outdoor spaces like driveways, walkways, and patios. Their versatility, low maintenance, and weather resistance make them a popular choice for both traditional and modern landscapes.



Size (mm): **220x55**
Thickness (mm): **80**
Strength : **M-25 Above**
Surface : **Matt**



SURFACE VIEW



PATTERN VIEW

UNIT VIEW





D.Brown



White




L.Brown



Black



Grey




Dholpur




Clay



G.Yellow



Red



Yellow

HYDRAULIC PAVER BLOCKS

LINEAR LUXE

Linear Luxe is a stylish and modern paver block designed for use in driveways, patios, walkways, and a variety of outdoor spaces. With its sleek, elongated shape and clean lines, Linear Luxe brings a contemporary aesthetic to both residential and commercial landscapes. Its durable construction ensures long-lasting performance under heavy traffic, while its versatile design allows for creative patterns and seamless integration with other materials. Ideal for elevating outdoor environments, Linear Luxe combines function with refined visual appeal.



Size :	500x160	224x80
(mm)	300x160	350x80
	400x120	224x80
	400x120	

Thickness (mm) : 80
Strength : **M-30 Above**
Surface : **Matt**



SURFACE VIEW



UNIT VIEW



**Yellow &
Black**



**White &
Black**



**D.Brown &
White**



**Red &
Clay**



**Clay &
Black**



**Clay &
D.Brown**



**L.Brown &
D.Brown**

HYDRAULIC PAVER BLOCKS

LINEAR LUXE – BLENDED

Linear Luxe – Blended is a premium paver block known for its sleek design and contemporary appeal, ideal for enhancing outdoor spaces such as driveways, patios, walkways, and more. The "Blended" finish features a mix of complementary tones that create a natural, textured look, adding depth and character to any landscape. Designed for both durability and style, Linear Luxe – Blended offers a modern solution that withstands the elements while delivering a refined, architectural finish to outdoor environments.



Size :	500x160	224x80
(mm)	300x160	350x80
	400x120	224x80
	400x120	

Thickness (mm): 80

Strength : M-30 Above

Surface : Matt



SURFACE VIEW



UNIT VIEW



D.Brown



White



L.Brown



Black



Grey




Dholpur




Clay



G.Yellow



Red



Yellow

HYDRAULIC PAVER BLOCKS

HEAVY DUTY (HD)

Heavy Duty Pavers are strong, durable paving materials designed to withstand high traffic and harsh conditions. Ideal for areas like driveways, industrial spaces, and roads, they offer excellent load-bearing capacity, resistance to wear, and long-lasting performance. These pavers are made from high-quality concrete or stone, ensuring reliability and minimal maintenance.



UNIT VIEW

Size : **100x100**
(mm) **150x150**
200x100
200x200


Thickness (mm): **60 \ 80**

Strength : **M-30 Above**

Surface : **Matt**



SURFACE VIEW



PATTERN VIEW



Yellow



Red



Grey



D.Brown



Dholpur



D.Brown



Black

HYDRAULIC PAVER BLOCKS

SHOT BLASTED

Heavy Duty Shot Blasted Pavers are robust paving materials treated with a shot blasting process to create a textured surface. This enhances their slip resistance and durability, making them ideal for high-traffic areas like roads, parking lots, and commercial spaces. These pavers are designed to withstand heavy loads, weather conditions, and constant wear, offering long-lasting performance and low maintenance.




UNIT VIEW

Size : **100x100**
(mm) **150x150**
200x100
200x200

Thickness (mm): **60 \ 80**
Strength : **M-30 Above**
Surface : **Matt**



SURFACE VIEW



PATTERN VIEW



Yellow



Red



Grey



D.Brown



Dholpur



D.Brown



Black

HYDRAULIC PAVER BLOCKS

SHOT BLASTED



Roman Brick Shot Blasted Pavers combine the classic appeal of Roman bricks with a textured surface achieved through shot blasting. This process enhances their slip resistance and durability, making them ideal for both aesthetic and functional use in outdoor spaces like driveways, walkways, and patios. These pavers offer a timeless look with added strength and weather resistance.



Size(mm): **200x55**
Thickness(mm): **80**
Strength : **M-25 Above**
Surface : **Matt**



SURFACE VIEW



PATTERN VIEW



UNIT VIEW



VINAYAK[®]

Mfg. : Paver Blocks & Kerb Stone



ROCK LINE



ROCK LINE-BLENDED



CM/L : 7200290008



An ISO 9001:2008 Certified Company

Contact: +91 98795 32204 | Dahegam



HYDRAULIC PAVER BLOCKS

ROCK LINE/ROCK LINE-BLENDED

Designed with a matt and wavy surface, Rock Line offers a bold and elegant look. Crafted with a unique blend of dual colour shades, Rock Line Dual Tone pavers bring a vibrant and premium finish. Its large and strong blocks ensure maximum durability, making it ideal for both heavy-duty and premium flooring applications. With a perfect blend of style and strength, Rock Line creates a modern yet natural stone-like appeal.

Size : 450x265
(mm) 350x265
345x190
265x190
190x190

Thickness(mm): 80
Strength : M-40 Above
Surface : Matt
Single Modular : 5 Pcs



UNIT VIEW

D.Brown	White	L.Brown	Black	Grey	Dholpur	Clay	G.Yellow	Red	Yellow
Yellow & Black	White & Black	D.Brown & White	Red & Clay	Clay & Black	Clay & D.Brown	L.Brown & D.Brown	Yellow & Red	D.Br, L.Br & Yellow	



VINAYAK[®]

Mfg. : Paver Blocks & Kerb Stone



ROMAN BRICKS PRIME



ROMAN BRICKS PRIME-BLENDED



An ISO 9001:2008 Certified Company

Contact: +91 98795 32204 | Dahegam



HYDRAULIC PAVER BLOCKS

ROMAN BRICKS PRIME & ROMAN BRICKS PRIME - BLENDED

An elegant upgrade of the classic Roman Bricks, designed with a clean single-colour tone for a uniform and sophisticated look & with an elegant dual-colour tone that enhances depth and aesthetics. Its smooth surface and sharp edges ensure durability, strength, and easy installation. Ideal for pathways, courtyards, and driveways.

Size : 268x 67 (mm)

Thickness(mm): 80
Strength : M-25
Surface : Matt



UNIT VIEW

D.Brown	White	L.Brown	Black	Grey	Dholpur	Clay	G.Yellow	Red	Yellow
Yellow & Black	White & Black	D.Brown & White	Red & Clay	Clay & Black	Clay & D.Brown	L.Brown & D.Brown	Yellow & Red	D.Br, L.Br & Yellow	



VINAYAK[®]

Mfg. : Paver Blocks & Kerb Stone



URBAN GRID



URBAN GRID - BLENDED



CM/L : 7200290008



An ISO 9001:2008 Certified Company

Contact: +91 98795 32204 | Dahegam



HYDRAULIC PAVER BLOCKS

URBAN GRID/URBAN GRID - BLENDED

Urban Grid is a contemporary paver block design inspired by clean lines and modular patterns. With its balanced mix of sizes and sharp edges, it creates a modern grid-like layout that adds elegance, strength, and versatility to any space – from city walkways to premium landscapes. Also It’s modular grid pattern combined with rich dual-colour shades creates a premium, vibrant look – perfect.

Size : 300x200
(mm) 250x200
200x200
150x200

Thickness(mm): 70
Strength : M-40 Above
Surface : Matt
Single Modular : 8 Pcs




UNIT VIEW

D.Brown	White	L.Brown	Black	Grey	Dholpur	Clay	G.Yellow	Red	Yellow
Yellow & Black	White & Black	D.Brown & White	Red & Clay	Clay & Black	Clay & D.Brown	L.Brown & D.Brown	Yellow & Red	D.Br, L.Br & Yellow	



REFLECTIVE PAVER BLOCKS





L.Brown



Grey



Dholpur



LB Colour



Green



Red



D.Brown



Yellow



Clay

Reflective Pavers | PREMIUM PAVER BLOCKS

WOODEN TOUCH - COMBI

Wooden Touch - Combi Pavers combine the natural beauty of wood-like textures with a reflective surface, creating a sophisticated and stylish look. These pavers enhance outdoor spaces like patios and walkways, offering both visual appeal and functionality. Their durable, slip-resistant design ensures long-lasting performance, while the reflective surface adds a unique, luxurious touch to any landscape.




UNIT VIEW

Size : **200x300**
(mm) **200x200**
200x100
100x100
Thickness (mm): **60**
Strength : **M-30 Above**
Surface : **Glosy**



SURFACE VIEW



PATTERN VIEW



L. Brown



Grey



Dholpur



LB Colour



Green



Red



D. Brown



Yellow



Clay

Reflective Pavers | PREMIUM PAVER BLOCKS

WOODEN TOUCH - COBBLE



Wooden Touch - Cobble Pavers provide a sleek, minimalist design with a wood-like texture and subtle reflective surface. Ideal for creating a smart, modern look in outdoor spaces, these pavers offer durability, slip resistance, and a clean, refined aesthetic.



Size(mm): 100x100
Thickness(mm): 60
Strength : **M-25 above**
Surface : **Glosy**



SURFACE VIEW



UNIT VIEW

PATTERN VIEW





Reflective Pavers | PREMIUM PAVER BLOCKS

WOODEN TOUCH - CLOUDY

Wooden Touch - Cloudy Pavers offer a luxurious, elegant look with their wood-inspired texture and soft, cloudy reflective surface. The unique reflective finish adds a touch of sophistication, elevating any landscape with a premium, modern appeal.

Size :	200x300	Thickness (mm):	60
(mm)	200x200	Strength :	M-30 Above
	200x100	Surface :	Glosy
	100x100		



UNIT VIEW




Reflective Pavers | STANDARD PAVER

FLEXI STONE DESIGN



Flexi Stone Design are a popular and versatile choice for various outdoor spaces, known for their durability and long-lasting performance. With a classic stone appearance, they are ideal for both residential and commercial. Their robust design ensures reliability in all weather conditions, making them a go-to option for many.



Size : **200x200**
(mm) **200x100**
100x100


Thickness (mm): **60**
Strength : **M-30 Above**
Surface : **Glosy**



SITE VIEW



L.Brown Grey Dholpur LB Colour Green Red D.Brown Yellow Clay




L.Brown



Grey



Dholpur



LB Colour



Green



Red



D.Brown



Yellow



Clay

Reflective Pavers | PREMIUM PAVER BLOCKS

SHABBY ZIG ZAG

Shabby Zig Zag Pavers feature a distinctive zigzag pattern that adds a modern, smart touch to outdoor spaces. With their contemporary design and textured finish, these pavers are perfect for creating dynamic walkways, driveways, and more.





UNIT VIEW

Size(mm): **150x150**
Thickness(mm): **60**
Strength : **M-30 Above**
Surface : **Glosy**



SURFACE VIEW



PATTERN VIEW



Reflective Pavers | PREMIUM PAVER BLOCKS

UNIT VIEW

HONEY COMB

Honeycomb Pavers offer a classic, timeless design with exceptional durability. These pavers combine aesthetic appeal with strength, making them a reliable choice for both residential and commercial landscapes.

Size(mm): -

Thickness(mm): 60

Strength : **M-30 Above**

Surface : **Glosy**






Reflective Pavers | PREMIUM PAVER BLOCKS

MODERN WAY RUSTIC

UNIT VIEW

Modern Way Rustic Pavers blend rustic elegance with a futuristic reflective finish, creating a timeless yet contemporary look. These pavers offer a perfect balance of modern design and enduring appeal, making them ideal for upscale outdoor spaces.



Size : **225x225**
(mm) **225x112**
112x112
Thickness(mm): **60**
Strength : **M-30 Above**
Surface : **Glosy**



PATTERN VIEW



L.Brown Grey Dholpur LB Colour Green Red D.Brown Yellow Clay



Reflective Pavers | PREMIUM PAVER BLOCKS

UNIT VIEW

JEDDAR

Jeddard Pavers are a premium architectural choice, designed to add a sophisticated, modern touch to outdoor spaces. Known for their design and high durability, they are perfect for creating stylish spaces. These pavers offer both aesthetic appeal and long-lasting performance, making them a favored option in contemporary landscaping.

Size(mm): -

Thickness(mm): 60

Strength : **M-30 Above**

Surface : **Glosy**






Reflective Pavers | PREMIUM PAVER BLOCKS

UNIT VIEW

STONE DESIGN

Stone Design Pavers feature a unique, textured pattern that makes them a versatile choice for both large-scale and small-scale projects. Perfect for creating visually appealing driveways, walkways, and patios, these pavers offer timeless elegance and durability. Their distinct design adds character and charm to any outdoor space, making them a popular choice for various landscaping needs.



PATTERN VIEW

Size(mm): 100x100

Thickness(mm): 60

Strength : M-25 Above

Surface : Glossy



L.Brown



Grey



Dholpur



LB Colour



Green



Red



D.Brown



Yellow



Clay




UNIT VIEW



STANDARD PAVERS




I SHAPE PAVER




Size : - | Thickness : **60**
Surface : **Matt** | Strength : **M-30 above**

UNI PAVER




Size : - | Thickness : **60 / 80**
Surface : **Matt** | Strength : **M-30 above**

DAMROO PAVER




Size : - | Thickness : **60**
Surface : **Matt** | Strength : **M-30 above**

SQUARE PAVER




Size : **200 X 200** | Thickness : **60**
Surface : **Matt** | Strength : **M-30 above**

BRICKS PAVER



Size : **200 X 100** | Thickness : **60 / 80**
Surface : **Matt** | Strength : **M-30 above**

COLORADO PAVER



Size : - | Thickness : **60**
Surface : **Glosy** | Strength : **M-30 above**


ECO PAVER BLOCKS

ECO FRIENDLY PAVER

GRASS PAVER – HYDRAULIC & REFLECTIVE



Size : **600 X 400** | Thickness : **80**



Size : **200 X 200** | Thickness : **80**



Size : **250 X 250** | Thickness : **60**

PRODUCT VIEW



ECO FRIENDLY PAVER
TREE GUARD





Size : **32" X 32"** | Thickness : **80**
Surface : **Glosy**

KERB STONE




Kerb Stones are durable, long-lasting edging solutions commonly used for defining boundaries along roads, pathways, and gardens. These stones provide structural support, prevent erosion, and enhance the aesthetic appeal of outdoor spaces. Available in various shapes and sizes, they offer a functional yet elegant way to frame landscapes and ensure clear demarcation.



SURFACE VIEW

VACUUM WET PRESS KERB STONE - Half Batter, Bull Nose, Full Batter, Square
Size : LxHxW | 600x300x100/125/150 | 600x375x100/125/150 | 600x450x100/125/150



SURFACE VIEW

VACUUM WET PRESS KERB STONE - Dished Channel
Size : LxWxH | 600x300x100

PRODUCT VIEW



VACCUM WET PRESS KERB STONE



HYDRAULIC KERB STONE - SPIRAL KERB STONE

Size : **215x100**



HYDRAULIC KERB STONE

Size : **450x300x100/150, 400x300x100, 300x300x100**



VACCUM WET PRESS KERB STONE

Kerb Stones for long run are strong, reliable materials designed to provide robust edging and support for pathways and roads. Made from high-quality stone, they offer excellent durability, preventing erosion and maintaining the structure of outdoor spaces. Ideal for both functional and aesthetic purposes, these kerbs ensure long-lasting performance in various landscaping and infrastructure projects.



SURFACE VIEW

REFLECTIVE KERB STONE

Size : 300x300x80, 300x300x80, 300x200x80, 300x150x80



SURFACE VIEW

REFLECTIVE KERB STONE

Size : 300x300x150, 300x300x150

Dished Channel : 300x300x100



RCC HUME PIPE :



SR. NO	ITEM	SIZE IN DIAMETER	CLASS	LENGTH
1	RCC Hume Pipe	150 MM	NP-2 & NP-3 & Socket	2 Meter
2	RCC Hume Pipe	200 MM	NP-3 & Socket	2 Meter
3	RCC Hume Pipe	225 MM	NP-2	2 Meter
4	RCC Hume Pipe	300 MM	NP-2 & NP-3 & Socket	2.50 Meter
5	RCC Hume Pipe	450 MM	NP-2 & NP-3 & Socket	2.50 Meter
6	RCC Hume Pipe	600 MM	NP-2 & NP-3 & Socket	2.50 Meter
7	RCC Hume Pipe	900 MM	NP-2 & NP-3 & Socket	2.50 Meter
8	RCC Hume Pipe	1200 MM	NP-2 & NP-3 & Socket	2.50 Meter

TECHNICAL DETAILS :

COMPARISON

Comparison Criteria	Vinayak Interlocking Paving Block	Chequered Tiles	RCC Road, Bituminous Road
Flexibility	Flexible	Fixed	Fixed
Reusability & Relocation	Possible	Not Possible	Not Possible
Installation	Speedy execution	Base preparation takes time	Speedy execution
After execution	Ready to use	Takes time for use	Use only after curing period of 20 days
Under ground Repairing	Possible	Not Possible	Not Possible
Skidding	Resistance	Resistance	No Resistance during monsoon
Load transfer	Horigental & Vertical	Vertical Only	Vertical and as per preparation
Excellent aesthetics	Different Design, Colour Option and Highly aesthetic Landscaping possible	Good aesthetic, Various Design and Colour Option	Not possible
Clean ability	Need concentration for cleaning	Very Good cleanability	Need concentration cleaning
Durability	High durable, quite resistant to abrasion and weathering cycles	High durable, quite resistant to abrasion and weathering cycles	Crackes developed often as weather will break down surface
Tools & Equipment	Only hand tools	Only hand tools	Mixer machine, other equipment requires.

APPLICATION


No	Application	Recommended Specification
1	Non Traffic / Light Traffic : Monument Premises, Building Premises, Public Garden / Parks, Landscapes, Embankment Slopes, Sand Stabilization areas, etc. Pedestrian Plazas, Ramps, Car Parks, Shopping Complex, Dairy Farm, Office Complex, Driveways, Housing Colonies, Rural Roads with Low Volume Traffic, Farm Sites, Tourist Resorts etc.	Thickness: 50mm, 60mm Strength 200 kg to 400kg/cm2
2	Medium Traffic : Small and Medium Market Roads, Low volume on Arterial Roads, Service Station, City Streets, Bus Terminals, Industrial Complexes, Mandi House, Roads on Expensive soils, Factory Floors and Pavements.	Thickness: 60mm to 80 mm Strength: 300 kg to 450kg/cm2
3	Heavy / Very Heavy Traffic : Container Terminals, Ports, Dock yards, Mine Access roads, Bulk Cargo Handling Area, Air Port Pavements etc.	Thickness: 80mm to 100 mm Strength: 500 kg/cm2

INTERLOCKING PAVER BLOCK :

In the absence of any information of corresponding code in the BIS, pavers are generally made to have a min Av. Compressive strength of 400 kgs/cm2. Pavers can be made as per customer specifications. We have supplies pavers with compressive strengths in excess of 550 kg/cm2. Water absorption less than 10% and abrasion resistance under 2 mm can be made available.

OUR CLIENTS :

Our considerable industry experience has helped us to establish a strong foothold in the market, winning the trust and goodwill of our clients spread across the country.

 Sardardham	 VISION CREATIVE GROUP	 Western Group	 Gujarat State Police Housing Corporation Ltd.
 CPWD	 Magnet Group	 Trogon Group	 Omakar Parisar
 Aamrakunj	 Venus Infrastructure	 Siddhraj Group	 Bakeri Group
 Nature's Edge Beyond Peace	 Golden County Pvt Ltd	 Shilp Group	 Shivalik Group
 A. Shridhar Group	 Ratnam Group	 Suryam Group	 Suvas Infrastructure Pvt Ltd



Rashmi Engicon



Rajhans Developers



Pramukh Group
Gandhinagar



Vivaan Group



Balmukund Group
Gandhinagar



Zade Group



Banshri Projects



Atharva Skyz



Amba Township
Adalaj



Sangath Infratech



Perna Group



Swagram
by Bhagirath



KavyaRatna Group



GIFT City



Sarnar
Buildtech Pvt. Ltd.



Katira Construction Ltd



Parmeshwar group



United Yogi Group



Lalooji & Sons



Zaveri &Co



Rajvi Buildcon



Rao Consultants



A. Mody Construction



Pasupati Group



VINAYAK[®]
Mfg. : Paver Blocks & Kerb Stone



VINAYAK TECHNOCAST INDUSTRIES PRIVATE LIMITED

Sr No 880, Nr Jaliyanamath Bus Stand, Jaliyanamath- Sampa Road, At. Sampa, Dahegam,
Dist: Gandhinagar, Gujarat, INDIA. | PIN Code : 382305 | Contact: 09879532204
GSTIN : 24AAKCV0718P1ZX | CIN : U23950GJ2024PTC150135

Email: vinayak.technocast@gmail.com, Web: www.vinayaktechnocast.com



An ISO 9001:2008 Certified Company